

Assignment-B6 (Link State & Distance Vector Protocol) – Output

Code

```
import heapq
class LinkStateNetwork:
    def __init__(self):
        self.graph = {}
    def add_edge(self, src, dest, weight):
        if src not in self.graph:
            self.graph[src] = {}
        if dest not in self.graph:
            self.graph[dest] = {}
        self.graph[src][dest] = weight
        self.graph[dest][src] = weight # Undirected graph
    def dijkstra(self, start):
        distances = {node: float('inf') for node in self.graph}
        distances[start] = 0
        priority_queue = [(0, start)]
        shortest_paths = {node: [] for node in self.graph}
        while priority_queue:
            current_distance, current_node = heapq.heappop(priority_queue)
            if current_distance > distances[current_node]:
                continue
            for neighbor, weight in self.graph[current_node].items():
                distance = current_distance + weight
                if distance < distances[neighbor]:
                    distances[neighbor] = distance
                    shortest_paths[neighbor] = shortest_paths[current_node] + [current_node]
                    heapq.heappush(priority_queue, (distance, neighbor))
        return distances, shortest_paths
    def print_routing_table(self, start):
        distances, paths = self.dijkstra(start)
        print(f"Link-State Routing Table from {start}:")
        for destination in distances:
            if distances[destination] < float('inf'):
                print(f"To {destination} via {' -> '.join(paths[destination])}, cost: {distances[destination]}")
            else:
                print(f"To {destination}: Unreachable")
# Example usage of Link-State
if __name__ == "__main__":
```

```

link_state_network = LinkStateNetwork()
link_state_network.add_edge('A', 'B', 1)
link_state_network.add_edge('A', 'C', 4)
link_state_network.add_edge('B', 'C', 2)
link_state_network.add_edge('B', 'D', 5)
link_state_network.add_edge('C', 'D', 1)
link_state_network.print_routing_table('A')

class DistanceVectorNetwork:
    def __init__(self):
        self.graph = {}
        self.distance_table = {}

    def add_edge(self, src, dest, weight):
        if src not in self.graph:
            self.graph[src] = {}
        if dest not in self.graph:
            self.graph[dest] = {}
        self.graph[src][dest] = weight
        self.graph[dest][src] = weight # Undirected graph

    def initialize_distance_table(self, start):
        for node in self.graph:
            self.distance_table[node] = {n: float('inf') for n in self.graph}
        self.distance_table[start][start] = 0
        for neighbor in self.graph[start]:
            self.distance_table[start][neighbor] = self.graph[start][neighbor]

    def update_distance_table(self):
        for _ in range(len(self.graph) - 1):
            for src in self.graph:
                for dest in self.graph[src]:
                    for neighbor in self.graph[src]:
                        if self.distance_table[src][dest] > self.distance_table[src][neighbor] + self.distance_table[neighbor][dest]:
                            self.distance_table[src][dest] = self.distance_table[src][neighbor] + self.distance_table[neighbor][dest]

    def print_routing_table(self, start):
        self.initialize_distance_table(start)
        self.update_distance_table()
        print(f"Distance Vector Routing Table from {start}:")
        for destination in self.distance_table[start]:
            if self.distance_table[start][destination] < float('inf'):
                print(f"To {destination}: Cost: {self.distance_table[start][destination]}")
            else:
                print(f"To {destination}: Unreachable")

# Example usage of Distance Vector

```

```
if __name__ == "__main__":
    distance_vector_network = DistanceVectorNetwork()
    distance_vector_network.add_edge('A', 'B', 1)
    distance_vector_network.add_edge('A', 'C', 4)
    distance_vector_network.add_edge('B', 'C', 2)
    distance_vector_network.add_edge('B', 'D', 5)
    distance_vector_network.add_edge('C', 'D', 1)
    distance_vector_network.print_routing_table('A')
```

Output

```
$ python3 Code-B6.py
Link-State Routing Table from A:
To A via A, cost: 0
To B via A -> B, cost: 1
To C via A -> C, cost: 4
To D via A -> B -> D, cost: 6
Distance Vector Routing Table from A:
To A: Cost: 0
To B: Cost: 1
To C: Cost: 4
To D: Unreachable
```