

# SPPU-TE-COMP-CONTENT – KSKA Git

Total No. of Questions : 8]

SEAT No. :

**P806**

**[5870]-1126**

[Total No. of Pages : 2

**T.E. (Computer Engineering)**  
**THEORY OF COMPUTATIONS**  
**(2019 Pattern) (Semester-I) (310242)**

*Time : 2½ Hours]*

*[Max. Marks : 70*

*Instructions to the candidates:*

- 1) Answer Q1 or Q2, Q3 or Q4, Q5 or Q6, Q7 or Q8.
- 2) Figures to the right side indicate full marks.
- 3) Neat diagrams must be drawn wherever necessary.
- 4) Assume suitable data, if necessary.

**Q1) a)** Write a grammar G for generating the language **[9]**

- i)  $L = \{w \text{ belongs to } \{a,b\}^* \mid w \text{ is an even length palindrome with } |w| > 0\}$
- ii) Set of odd length strings in  $\{0,1\}^*$  with middle symbol '1'

**b)** Simplify the following grammar **[9]**

$S \rightarrow 0A0 \mid 1B1 \mid BB$   
 $A \rightarrow C$   
 $B \rightarrow S \mid A$   
 $C \rightarrow S \mid \epsilon$

OR

**Q2) a)** Reduce the following grammar to Greibach Normal form. **[9]**

$S \rightarrow AA \mid 0$   
 $A \rightarrow SS \mid 1$

**b)** Construct a DFA for the following left linear grammar. **[9]**

$S \rightarrow B1 \mid A0 \mid C0$   
 $B \rightarrow B1 \mid 1$   
 $A \rightarrow A1 \mid B1 \mid C0$   
 $C \rightarrow A0$

**Q3) a)** Construct a context free grammar which accepts  $N(A)$ , where **[9]**

$A = (\{q_0, q_1\}, \{0,1\}, \{Z_0, Z\}, \delta, q_0, Z_0, \varphi)$  where  $\delta$  is given by  
 $\delta(q_0, 1, Z_0) = \{(q_0, ZZ_0)\}$   
 $\delta(q_0, \epsilon, Z_0) = \{(q_0, \epsilon)\}$   
 $\delta(q_0, 1, Z) = \{(q_0, Z Z)\}$   
 $\delta(q_0, 0, Z) = \{(q_1, Z)\}$   
 $\delta(q_1, 1, Z) = \{(q_1, \epsilon)\}$   
 $\delta(q_1, 0, Z_0) = \{(q_0, Z_0)\}$

**P.T.O.**

# SPPU-TE-COMP-CONTENT – KSKA Git

- b) Construct a PDA that accept the language generated by grammar [8]  
i)  $S \rightarrow 0S1 \mid A, A \rightarrow 1A0 \mid S \mid \epsilon$   
ii)  $S \rightarrow aABB \mid aAA, A \rightarrow aBB \mid a, B \rightarrow bAA \mid A$

OR

- Q4)** a) What is NPDA? Construct a NPDA for the set of all strings over  $\{a,b\}$  with odd length palindrome. [9]  
b) Design a push down automaton to recognize the language generated by the following grammar: [8]  
 $S \rightarrow S + S \mid S \square S \mid 4 \mid 2$   
Show the acceptance of the input string  $2 + 2*4$  by this PDA.

- Q5)** a) What is a Turing Machine? Give the formal definition of TM. [9]  
Design a TM that replaces every occurrence of abb by baa.  
b) What are the different ways for extension of TM? Explain. [9]  
Design TM for language  $L = \{a^i b^j \mid i < j\}$

OR

- Q6)** a) What is TM? Design TM to check well formedness of Parenthesis. Expand the transition for  $(())()$  [9]  
b) Elaborate the following terms [9]  
i) Universal Turing Machine (UTM)  
ii) Recursively Enumerable Languages  
iii) Halting Problem of Turing Machine

- Q7)** a) Justify “Halting Problem of Turing machine is undecidable”. [9]  
b) Define the Class P and Class NP and Problem with their example in detail. [8]

OR

- Q8)** a) Explain Satisfiability Problem and SAT Problem and comment on NP Completeness of the SAT Problem. [9]  
b) What do you mean by polynomial time reduction? Explain with suitable example. [8]

